

Please supply all a/w as High Resolution pdf

Zeus counter plinth



- All artwork supplied must be PRINT READY, and will be printed as supplied
- **Please note PDF files will not be checked or amended by our Graphics Department.**
- Please specify quantity required of each pdf supplied.
- Overprint fill MUST be turned OFF in all cases.
- We will email confirmation on receipt of your high res pdf artwork, but will NOT supply any proofs (unless requested).
- All high res PDFs must be set up at 25% with 3mm bleed.
- Where accurate colour matching is required you must supply pantone or printed references. We will match as closely as possible but cannot guarantee an exact match
- In the case of Apollo and Zeus a/w, the pdf supplied should be set up as a spread and not as individual pages.
- CMYK images must be placed into your 1/4 size document at no more than 100% @ 300 dpi.
- Guidelines must not be within the artwork as these will print.
- Colour profiles should not be embedded.

tech spec

Overall size @ 25%: 332 x 251.25mm
Full size: 1328 x 1005mm
PLEASE SET UP AS A SPREAD
ZEC PLINTH GRA

End Panel (Endcap) @ 25%: 125 x 251.25mm
Full size: 500 x 1005mm

Front Main Panel @ 25%: 82 x 251.25mm
Full size: 328 x 1005



Quark

- A/w must be set up at 25% with 3mm bleed
- Create a Postscript file

Settings:

- Registration: OFF
 - Spreads: Yes if relevant
 - Printer Description: Adobe PDF
 - Paper Size: Custom
 - Paper Width: overall page size + 6mm
 - Paper Height: Automatic
 - Paper Offset and Gap: 0mm
 - Enlarge: 400%
 - Page Positioning: Left Edge
 - Bleed: Symmetric 3mm
 - Profiles: none
 - Set trapping info to default
 - Printer - Output Options - Save as file - Save as Postscript
- or
- Printer - PDF - Save PDF - Save
 - Drag the finished Postscript file into **Acrobat Distiller** to be turned into a PDF.



Acrobat Distiller

Settings:

- Adobe PDF Preset: [Press Quality]




Indesign/ Illustrator

- A/w must be set up at 25% with 3mm bleed
- Export as PDF

Settings:

- Adobe PDF Preset: [Press Quality]
- Bleed: 3mm

Please note: when using fonts with permission bits that do not allow embedding, a warning message will appear and the fonts will be substituted. You will therefore need to convert all text to outlines.



Graphics Department.
Clip Ltd. Church Road Wick
Bristol BS30 5RD UK.

tel. +44 (0) 117 937 5700 email. info@clipdisplay.com
fax. +44 (0) 117 9314561 web. www.clipdisplay.com
isdn. +44 (0) 117 937 2807 ftp. call 0117 937 5700 for details

Sending Print Ready PDF Artwork.

All artwork sent through must be labelled with your company name, email address and order number.